

FIG. 1




FIG. 2

21: IMAGE DATA BASE




FIG. 3





FIG. 4

PARAMETER	ALLOWABLE RANGE	STANDARD	RECOMMENDABLE VALUE 1	RECOMMENDABLE VALUE 2	RECOMMENDABLE VALUE n
POSITION	$0 \leq X \leq 40$ $0 \leq Y \leq 40$	X=0 Y=20	X=0 Y=20	X=20 Y=20	• • • •
SIZE	$30 \leq X \leq 80$ $30 \leq Y \leq 80$	X=40 Y=40	X=40 Y=40	X=60 Y=40	• • • •
COLOR	• • •	R=255 G=0 B=0	R=255 G=255 B=0	R=0 G=0 B=0	• • •
LETTER SIZE	12~18pt	13pt	14pt	16pt	• • •
LETTER COLOR	• • •	R=125 G=125 B=125	R=0 G=0 B=0	R=255 G=255 B=255	• • •
	• • •	• • •	• • •	• • •	• • •

5/18

FIG. 5









FIG. 6

7/18

FIG. 7 (a)**FIG. 7 (b)**

8/18

FIG. 8



9/18

FIG. 9 (a)




FIG. 9 (b)





FIG. 9 (c)



10/18

FIG. 10 (a)




FIG. 10 (b)




FIG. 10 (c)





FIG. 10 (d)



11/18

FIG. 11





FIG. 12



13/18

FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18